SEQUENCE LISTING

- <110> NAGAI, Hiroshi NAKAJIMA, Terumi
- <120> NOVEL HEMOLYTIC ACTIVE PROTEINS AND GENES ENCODING THE SAME
- <130> PCTJP9901607NAGAIHiroshietal 183049264
- <140>
- <141>
- <150> PCT/JP99/01607
- <151> 1999-03-30
- <150> JP 10/88569
- <151> 1998-04-01
- <160> 18
- <170> PatentIn Ver. 2.0
- <210> 1
- <211> 14
- <212> PRT
- <213> Carybdea rastonii
- <220>
- <223> This amino acid residue sequence corresponds to amino acid residue positions 56-69 of SEQ ID NO:5.
- <400> 1
- Gly Glu Ile Gln Thr Lys Pro Asp Arg Val Gly Gln Ala Thr

 1 5 10
- <210> 2
- <211> 18
- <212> PRT
- <213> Carybdea rastonii
- <220>
- <223> This amino acid residue sequence corresponds to amino acid residue positions 250-267 of SEQ ID NO:5.
- <400> 2

Gly Asn Ala Glu His Val Ala Ser Ala Val Glu Asn Ala Asn Arg Val 1 5 10 Asn Lys <210> 3 <211> 15 <212> PRT <213> Carybdea rastonii <220> <223> This amino acid residue sequence corresponds to amino acid residue positions 363-377 of SEQ ID NO:5. <400> 3 Met Ser Asp Gly Phe Tyr Thr Met Glu Asn Ser Asp Arg Arg Lys 5 10 1 <210> 4 <211> 1610 <212> DNA <213> Carybdea rastonii <220> <221> CDS <222> (28) .. (1380) <220> <221> protein_bind <222> (1381)..(1610) <400> 4 gcacaagcga cttggtgaag gagcacc atg att ctg aaa cat ctt cct tgg ctc 54 Met Ile Leu Lys His Leu Pro Trp Leu 1. ttt att gtc ctt gca att act tct gca aaa cat ggc aaa cgc tct gat Phe Ile Val Leu Ala Ile Thr Ser Ala Lys His Gly Lys Arg Ser Asp 20 10 15 25 qtc aat tct tta ctt act aag gta gaa act gcc tta aaa gaa gct tct Val Asn Ser Leu Leu Thr Lys Val Glu Thr Ala Leu Lys Glu Ala Ser

								•							•	
ggt	agc	aac	gag	gct	gct	ctt	gag	gct	tta	gag	ggc	tta	aaa	gga	gag	198
Glv	Ser	Asn	Glu	Ala	Ala	Leu	Glu	Ala	Leu	Glu	Glv	Leu	Lvs	Gly	Glu	
0-1	-0-							50					55	-		
			45					50					55			
														•		
					_	_	_			_				ctt		246
Ile	Gln	Thr	Lys	${\tt Pro}$	Asp	Arg	Val	Gly	Gln	Ala	Thr	Lys	Ile	Leu	Gly	
		60					65					70				
								++-		+	~~~	~~+	~~~	200	222	294
	_			_										acc		234
Ser	Val	Gly	Ser	Ala	Leu	Gly	Lys	Leu	Asn	Ser	GIA	Asp	Ala	Thr	гàг	
	75					80	•				85					
atc	att	tct	aat	tac	ctc	qac	att	qtt	qca	qqa	att	gca	aca	act	ttt	342
														Thr		
	110	DCI	Cly	Cys		1100									105	
90					95					100					105	
gga	ggc	cct	gtc	ggg	atg	gga	atc	gga	gcc	gta	gct	tct	ttt	gtt	tct	390
Gly	Gly	Pro	Val	Gly	Met	Gly	Ile	Gly	Ala	Val	Ala	Ser	Phe	Val	Ser	
				110					115					120		
						•										
										~~~	224	226	+ 00	a++	aat	438
				_										gtt		430
Ser	Ile	Leu	Ser	Leu	Phe	Thr	Gly	Ser	Ser	Ala	Lys	Asn	Ser	Val	Ala	
			125					130					135			
qcc	qtt	att	gat	aga	gct	tta	agc	aag	cat	cgc	gat	gag	gcc	atc	caa	486
-	_													Ile		
1114	Vai		шр				145	-1-		5		150				
		140					143					130				
-														gca		534
Arg	His	Ala	Ala	Gly	Ala	Lys	Arg	Asp	Phe	Ala	Glu	Ser	Ser	Ala	Phe	
	155					160					165					
att	cad	atc	atσ	aaa	cad	cag	tcc	aat	ctt	aca	gat.	agc	gac	cta	agt	582
														Leu		
	GIII	vai	Mec	цуѕ		GIII	ser	ASII	ьeu		Asp	SET	Азр	пец		
170					175					180					185	
atc	att	gca	gcg	aat	gtt	cct	gtt	tat	aaa	ttt	agt	aat	ttt	atc	gga	630
Ile	Ile	Ala	Ala	Asn	Val	Pro	Val	Tyr	Lys	Phe	Ser	Asn	Phe	Ile	Gly	
				190					195					200		
	<b></b>				-+-			~~~	~	~~~	264	200	a <del>~ +</del>	a++	200	670
_	_		_	_										ctt -		678
Gln	Leu	Glu	Ser	Arg	Ile	Ser	Gln	Gly	Ala	Ala	Thr	Thr	Ser	Leu	Ser	
			205					210					215			
			•												•	
gat	~~~	aag	aga	acc	at t	gac	ttc	att	cta	ctc	tat	tat	caa	ctt	qta	726
_	gca.	~~~	aga	900	900											
Acn	_															
Asp	_													Leu		

								-				•				
gtc	atg	aga	gaa	acc	ttg	ctg	gtc	gac	ttg	gct	att	ctc	tac	agg	aaa	774
Val	Met	Arq	Glu	Thr	Leu	Leu	Val	Asp	Leu	Ala	Ile	Leu	Tyr	Arg	Lys	
	235	_				240		_			245		_			
													•			
									~+~	~~~		~~+		200	at a	822
				cac												022
Gly	Asn	Ala	Glu	His	Val	Ala	Ser	Ala	Val	Glu	Asn	Ala	Asn	Arg		
250					255					260					265	
aac	aaa	gag	cta	gct	gct	gat	acc	cta	gat	ttt	ctt	cat	aaa	ttg	att	870
Asn	Lys	Glu	Leu	Ala	Ala	Asp	Thr	Leu	Asp	Phe	Leu	His	Lys	Leu	Ile	
	•			270					275					280		
aat	~~~		<b>~ ~ ~ ~ ~ ~ ~ ~ ~ ~</b>	ttg	a+ a	aat	aca	~++	tat	cat	cca	a++	tct	acc	tct	918
	_		_	_												710
Pro	GIU	GIn		Leu	iie	GIY	Ата		Tyr	HIS	PIO	тте		Ala	sei	
			285					290					295			
gaa	act	agc	aaa	gca	ata	tta	aat	tac	acg	aaa	tac	ttt	gga	gtt	cca	966
Glu	Thr	Ser	Lys	Ala	Ile	Leu	Asn	Tyr	Thr	Lys	Tyr	Phe	Gly	Val	Pro	
		300					305					310				
gat	att	CCC	cat	cct	att	gga	aac	cac	aga	tac	aaa	ttt	aca	aat.	agt	1014
_	_		_	Pro				_	_						_	
Asp		PIO	Arg	PLO	116	_	ASII	Arg	AT 9	TYL	-	FIIC	1111	ADII	DCI	
	315					320					325					
																1050
				tac	-		_	_		_		_				1062
Tyr	Trp	Asn	Thr	Tyr	Ser	Ile	Cys	Ser	Glu	Ala	Tyr	Met	Gly	Asn	Tyr	
330	•				335					340					345	
atg	ttc	aga	ggc	tgt	tct	aac	gtt	cgg	aat	cca	aat	atc	agg	gta	tcc	1110
Met	Phe	Arg	Gly	Cys	Ser	Asn	Val	Arg	Asn	Pro	Asn	Ile	Arg	Val	Ser	
				350					355					360		
222	ato	tct	gat	999	+++	tac	acc	ato	gag	aat	agc	gat	caa	agg	аад	1158
	_															
пуѕ	Met	Ser	_	Gly	PHE	TAT	1111		GIU	ASII	261	wa b		Arg	пуъ	
			365					370					375			
				·												
_				aag											-	1206
Leu	Tyr	Ile	Thr	Lys	His	Asp	Gln	Gly	$\mathtt{Trp}$	Gly	Trp	Gly	Thr	Leu	Asp	
		380					385					390				
gaq	gat	cca	ggt	gac	caa	ggc	cat	atg	agg	ttc	att	cct	ttg	aga	cat	1254
	-		-	Asp												
	395	_ =	- 1			400		_	ر	_	405	-		_		
aa~	22~	+ - +	a+~	a+-	200	+ < +	22~	200	+~~		227	+~~	++~	2+~	tat	1302
	-			gta	_											1302
_	гÀг	Tyr	мет	Val		ser	гуѕ	Arg	Trp		Asn	rp	rne	мес		
410					415					420					425	

atg gaa tca agt gcc agt ggc tac att cgc agc tgg gaa aat aat cca 1350
Met Glu Ser Ser Ala Ser Gly Tyr Ile Arg Ser Trp Glu Asn Asn Pro
430 435 440

gga cct caa gga cat tgg agt ata aca taa ttaaagagga atcaacaatg 1400 Gly Pro Gln Gly His Trp Ser Ile Thr
445 450

tcccaaaggc atacgaatat aagacatcaa acgaatgcag tacttaaagt gcacacttgt 1460
atttctacat aggatgtcgt catgaaagtc cataaaccat ccagcggact aatttcatat 1520
taaacattaa tgtttcctta taatgcattt tcatgaaatc tctattgtga catttcaaga 1580
ggatatgttt gaaagaaaca aaaaaaaaaa 1610

<210> 5

<211> 450

<212> PRT

<213> Carybdea rastonii

<400> 5

Met Ile Leu Lys His Leu Pro Trp Leu Phe Ile Val Leu Ala Ile Thr 1 5 10 15

Ser Ala Lys His Gly Lys Arg Ser Asp Val Asn Ser Leu Leu Thr Lys
20 25 30

Val Glu Thr Ala Leu Lys Glu Ala Ser Gly Ser Asn Glu Ala Ala Leu 35 40 45

Glu Ala Leu Glu Gly Leu Lys Gly Glu Ile Gln Thr Lys Pro Asp Arg
50 55 60

Val Gly Gln Ala Thr Lys Ile Leu Gly Ser Val Gly Ser Ala Leu Gly
65 70 75 80

Lys Leu Asn Ser Gly Asp Ala Thr Lys Ile Ile Ser Gly Cys Leu Asp 85 90 95

Ile Val Ala Gly Ile Ala Thr Thr Phe Gly Gly Pro Val Gly Met Gly
100 105 110

Ile Gly Ala Val Ala Ser Phe Val Ser Ser Ile Leu Ser Leu Phe Thr
115 120 125

Gly Ser Ser Ala Lys Asn Ser Val Ala Ala Val Ile Asp Arg Ala Leu

130	135 ·	140

Ser Lys His Arg Asp Glu Ala Ile Gln Arg His Ala Ala Gly Ala Lys Arg Asp Phe Ala Glu Ser Ser Ala Phe Ile Gln Val Met Lys Gln Gln Ser Asn Leu Thr Asp Ser Asp Leu Ser Ile Ile Ala Ala Asn Val Pro Val Tyr Lys Phe Ser Asn Phe Ile Gly Gln Leu Glu Ser Arg Ile Ser Gln Gly Ala Ala Thr Thr Ser Leu Ser Asp Ala Lys Arg Ala Val Asp Phe Ile Leu Leu Tyr Cys Gln Leu Val Val Met Arg Glu Thr Leu Leu Val Asp Leu Ala Ile Leu Tyr Arg Lys Gly Asn Ala Glu His Val Ala Ser Ala Val Glu Asn Ala Asn Arg Val Asn Lys Glu Leu Ala Ala Asp Thr Leu Asp Phe Leu His Lys Leu Ile Pro Glu Gln Ala Leu Ile Gly Ala Val Tyr His Pro Ile Ser Ala Ser Glu Thr Ser Lys Ala Ile Leu Asn Tyr Thr Lys Tyr Phe Gly Val Pro Asp Val Pro Arg Pro Ile Gly Asn Arg Arg Tyr Lys Phe Thr Asn Ser Tyr Trp Asn Thr Tyr Ser Ile Cys Ser Glu Ala Tyr Met Gly Asn Tyr Met Phe Arg Gly Cys Ser Asn Val Arg Asn Pro Asn Ile Arg Val Ser Lys Met Ser Asp Gly Phe Tyr Thr Met Glu Asn Ser Asp Arg Arg Lys Leu Tyr Ile Thr Lys His Asp 

Gln Gly Trp Gly Trp Gly Thr Leu Asp Glu Asp Pro Gly Asp Gln Gly

385 390 395 400

His Met Arg Phe Ile Pro Leu Arg His Gly Lys Tyr Met Val Ser Ser 405 410 415

Lys Arg Trp Pro Asn Trp Phe Met Tyr Met Glu Ser Ser Ala Ser Gly
420 425 430

Tyr Ile Arg Ser Trp Glu Asn Asn Pro Gly Pro Gln Gly His Trp Ser 435 440 445

Ile Thr 450

<210> 6

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Degenerate PCR primer, 7-F, used in the cloning of the partial cDNA of the hemolytic active protein of Carybdea rastonii

<220>

<221> unsure

<222> (12)

<223> n = inosine

<220>

<221> unsure

<222> (18)

<223> n = inosine

<400> 6

garathcara cnaarccng

19

<210> 7

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<221> unsure

<222> (2)

```
<223> n = inosine
<220>
<221> unsure
<222> (8)
<223> n = inosine
<220>
<223> Description of Artificial Sequence: Degenerate PCR
      primer, 7-R, used in the cloning of the partial
      cDNA of the hemolytic active protein of Carybdea
      rastonii
<400> 7
                                                                    19
cnggyttngt ytgdatytc
<210> 8
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<221> unsure
<222> (3)
<223> n = inosine
<220>
<221> unsure
<222> (6)
<223> n = inosine
<220>
<221> unsure
<222> (15)
<223> n = inosine
<220>
<223> Description of Artificial Sequence: Degenerate PCR
      primer, 12-F, used in the cloning of the partial
      cDNA of the hemolytic active protein of Carybdea
      rastonii
<400> 8
                                                                    20
gengtngara aygenaaymg
```

<210> 9

```
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<221> unsure
<222> (6)
<223> n = inosine
<220>
<221> unsure
<222> (15)
<223> n = inosine
<220>
<221> unsure
<222> (18)
<223> n = inosine
<220>
<223> Description of Artificial Sequence: Degenerate PCR
      primer, 12-R, used in the cloning of the partial
      cDNA of the hemolytic active protein of Carybdea
      rastonii
<400> 9
ckrttngcrt tytcnacngc
<210> 10
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<221> unsure
<222> (6)
\langle 223 \rangle n = inosine
<220>
<221> unsure
<222> (15)
<223> n = inosine
<220>
<223> Description of Artificial Sequence: Degenerate PCR
      primer, 14-1-F, used in the cloning of the partial
```

20

cDNA of the hemolytic active protein of Carybdea

## rastonii

```
<400> 10
                                                                     19
gayggnttyt ayacnatgg
<210> 11
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<221> unsure
<222> (5)
<223> n = inosine
<220>
<221> unsure
<222> (14)
<223> n = inosine
<220>
<223> Description of Artificial Sequence: Degenerate PCR
     primer, 14-1-R, used in the cloning of the partial
      cDNA of the hemolytic active protein of Carybdea
      rastonii
<400> 11
                                                                     19
ccatngtrta raanccrtc
<210> 12
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<221> unsure
<222> (6)
<223> n = inosine
<220>
<221> unsure
<222> (15)
<223> n = inosine
<220>
```

10

<223> Description of Artificial Sequence: Degenerate PCR

primer, 12-2-F, used in the cloning of the partial cDNA of the hemolytic active protein of Carybdea rastonii

<400> 12

gayggnttyt ayacnatgga raa

23

<210> 13

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<221> unsure

<222> (9)

<223> n = inosine

<220>

<221> unsure

<222> (18)

<223> n = inosine

<220>

<223> Description of Artificial Sequence: Degenerate PCR primer, 12-2-R, used in the cloning of the partial cDNA of the hemolytic active protein of Carybdea rastonii

<400> 13

ttytccatng trtaraancc rtc

23

<210> 14

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: 5' Race primer, 5'-RACE-4R, synthesized based on the base sequence of the partial cDNA for the hemolytic active protein of Carybdea rastonii

<400> 14


gctctatcaa taacggcagc

20

<210>	15	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: 5' Race	
	primer, 5'-RACE-5R, synthesized based on the base	
	sequence of the partial cDNA for the hemolytic	
	active protein of Carybdea rastonii	
	2002/0 P2000211 02 011-7-20011 - 11-20011-	
<400>	15	
		20
tgttt	ttgga tggcctcatc	20
010		
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Description of Artificial Sequence: 5' Race	
	primer, 5'-RACE-6R, synthesized based on the base	
	sequence of the partial cDNA for the hemolytic	
	active protein of Carybdea rastonii	
<400>	16	
gatact	ttagg tegetateeg	20
<210>	17	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
	-	
<220>		
	Description of Artificial Sequence: 3' Race	
144	primer, 3'-RACE-1F, synthesized based on the base	
	sequence of the partial cDNA for the hemolytic	
	active protein of Carybdea rastonii	
	active protein or carybaca rasconir	
<400>	17	
		20
grecas	gagge tgttetaaeg	20

12

<210> 18 <211> 20 <212> DNA



<220>

<223> Description of Artificial Sequence: 3' RACE primer, 3'-RACE-2F, synthesized based on the base sequence of the partial cDNA for the hemolytic active protein of Carybdea rastonii

<400> 18 atgtctgacg gcttctacac

20